

DAMAR®

LITE STRAND Installation

LITE STRAND

Model: 24584H / 24584I / 24584J / 24584K

USAGE INSTRUCTIONS

CAUTION: Risk of Fire. Keep lamps away from any combustible surface.

IMPORTANT SAFETY INSTRUCTIONS

- a) READ AND FOLLOW ALL SAFETY INSTRUCTIONS.
- b) Do not use these products outdoors unless marked suitable for indoor and outdoor use. When products are used in outdoor applications, connect the product to a Ground Fault Circuit Interrupting (GFCI) outlet. If one is not provided, contact a qualified electrician for proper installation.
- c) Do not mount or place near gas or electric heaters, fireplaces, candles or other similar sources of heat.
- d) Do not secure the wiring of the product with staples or nails, or place on sharp hooks or nails. For light sets employing medium screw lamps, this statement shall include: Install only using the mounting means provided.
- e) Do not let lamps rest on the supply cord or on any wire.
- f) Do not use this product for other than its intended use.
- g) Do not hang objects from cord, wire, or light string.
- h) Do not close doors or windows on the product or extension cords as this may damage the wire insulation
- i) Do not cover the product with cloth, paper or any material not part of the product when in use.
- j) This product has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not use with an extension cord unless plug can be fully inserted. Do not alter or replace the plug. It is acceptable to omit this item if the product does not employ a polarized plug.
- k) Read and follow all instructions that are on the product or provided with the product.
- l) SAVE THESE INSTRUCTIONS.
- m) Periodically inspect wire and sockets for degradation due to weather. UV light or other damage. Promptly replace worn out light string.
- n) DO NOT MOUNT THE STRING LIGHTS WITH SOCKETS FACING UPWARD!
- o) DO NOT OVERLOAD ANY SOCKET MAXIMUM WATTAGE RATING!
- p) DO NOT OVERLOAD MAXIMUM WATTAGE CAPACITY!

Maximum Wattage per Socket:

# of Light Strings	Socket(pcs)	Cable/Cord Length (feet)	Socket Spacing (feet)	Maximum Bulb Wattage
2	24	50	2	25W
1	48	102	2	25W

- Maximum wattage for string run is 1200W.

DAMAR®

805 N Carnation
Aurora, MO 65605
Made in China