



## Specifications

Item	- 36279N
Model	- LED UFO 150W/200W/240W 3CCT
Type	- LED
Input Voltage	- 120-277VAC 50/60Hz
Watts	- 150W/200W/240W Selectable
Diameter	- 13.39" (340mm)
Length	- 7.01" (178mm)
Color Temp	- 3500K/4000K/5000K Selectable
CRI	- >80
Lumens	- 35K= 21,000/28,000/33,600 40K= 22,500/30,000/36,000 50K= 21,000/28,000/33,600
Power Factor	- ≥0.9
Finish	- Black
Dimmable	- Yes, 0-10V
Wet Location	- Yes
Surge Protection	- 6KV
Average Life Hours	- 50,000
Beam Angle	- 70°/90°/105° Electronically Selectable
Motion Sensor	- Optional (39554A)

## Note

Any alteration or modification of this product is expressly forbidden as it may cause serious personal injury, death, property damage, and/or product malfunction.

This luminaire is designed to operate in ambient temperatures ranging from -40°F to 122°F (-40°C to 50°C).


This product is not suitable for several special environments, such as those containing corrosive gases, corrosive liquids, or high-pressure water vapor.

## Warning

### PLEASE READ ALL INSTRUCTIONS BEFORE ATTEMPTING INSTALLATION

- This fixture must be wired in accordance with the national electrical code and applicable local codes and ordinances.
- Proper grounding is required to insure personal safety. Carefully observe the grounding procedure under the installation section.
- All work should be done by a qualified electrician.
- Risk of electric shock - Disconnect power at fuse or circuit breaker before installing or servicing.
- Risk of burn - Disconnect power and allow fixture to cool before servicing.
- Risk of personal injury - Fixture may become damaged and/or unstable if not installed properly.
- Tighten all fixture components securely.


## Installation



### CEILING MOUNTING

1. Screw the hook into the fixture, then tighten and secure it.
2. Hang the fixture on the ceiling chain (Not included).
3. Attach the safety cable to the cooling fin with the cutout.
4. After installation, connect the wires of the fixture to the mains according to local wiring rules, ensuring the connection is secure and protected.

## Wattage, CCT, & Beam Angle Guidance



## Wiring Diagram

